

CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

TUVIT-LMR-A0039 rev.4

Rilasciato a / Awarded to

PROGOLD S.P.A.
Via Postale Vecchia, 26/A
36070 TRISSINO (VI)

sito produttivo / factory site

Via Postale Vecchia, 26/A 36070 TRISSINO (VI)

TÜV Italia S.r.l. certifica che i seguenti prodotti: TÜV Italia S.r.l. certifies that the following products:

Leghe e Madre leghe di metallo prezioso per gioielleria

Alloys And Master Alloys of precious metal for jewellery

delle seguenti serie o denominazioni: of the following series or denominations:

GENIA LUX FLEXIA BRAXA UNIBRAX
PLATINA
BLANK
BRIGHT

Sono conformi ai requisiti della norma:

Have been found to comply with the requirements of:

UNI/PdR 88:2020

In relazione alle seguenti caratteristiche: In accordance with the following requirements:

Percentuale minima di materiale riciclato e/o recuperato e/o sottoprodotto in peso dettagliata in Allegato

Minimum percentage of recycled and/or recovered and/or byproduct content by weight detailed in Annex

Data emissione / Issue date: 13/01/2025
Data prima emissione / First issue date: 18/01/2021
Data scadenza / Expiry date: 17/01/2028



PRD N° 081B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements Per l'Organismo di Certificazione For the Certification Body

TÜV Italia S.r.I.

Alberto Carelli
Industry Service/Real Estate & Infrastructure
Managing Director

LA VALIDITÀ DEL PRESENTE CERTIFICATO È SUBORDINATA A SORVEGLIANZA PERIODICA A 12 MESI E AL RIESAME COMPLETO DEL SISTEMA DI GESTIONE AZIENDALE CON PERIODICITÀ TRIENNALE THE VALIDITY OF THE PRESENT CERTIFICATE DEPENDS ON THE ANNUAL SURVEILLANCE EVERY 12 MONTHS AND ON THE COMPLETE REVIEW OF COMPANY'S MANAGEMENT SYSTEM AFTER THREE-YEARS



CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

TUVIT-LMR-A0039 rev.4

ALLEGATO 1 / ANNEX 1

Elenco dei prodotti: /

Products list:

Denominazione Commerciale		eriale rici cycled ma		Materiale recupera to	to-prod oduct m %		Totale <i>Total</i>
Trade Name	Post* %	Pre** %	Totale %	recovere d material %	Estern o %	Totale %	7 Otal %
BGNFWDS	100 %		100 %				100 %
BGNFWFS	100 %		100 %				100 %
BGNFWMS	100 %		100 %				100 %
BGRDS	100 %		100 %				100 %
BGREDS	100 %		100 %				100 %
BGRMS	100 %		100 %		 		100 %
BGYDS	100 %		100 %				100 %
BGYEDS	100 %		100 %		300		100 %
BGYMS	100 %		100 %				100 %
BLANK505	91%		91%				91%
BRAXA100	100%		100%				100%
BRAXA101	100%		100%				100%
BRAXA102	100%		100%				100%
BRAXA103	100%		100%				100%
BRAXA104	100%		100%	300			100%
BRAXA105	100%		100%				100%
BRAXA106	100%		100%				100%



CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

BRAXA107	100%	100%				100%
BRAXA108	100%	100%				100%
BRAXA109	100%	100%			300 300 	100%
BRAXA110	100%	100%				100%
BRAXA111	100%	100%				100%
BRAXA112	100%	100%				100%
BRAXA113	100%	100%				100%
BRAXA114	100%	 100%				100%
BRIGHT100	92%	92%				92%
BRIGHT101	95%	95%				95%
FLEXIA102	75%	75%	E S			75%
FLEXIA108	99%	99%				99%
FLEXIA110	99,74	99,74%				99,74
FLEXIA111	52%	52%				52%
FLEXIA113	85%	85%				85%
FLEXIA116	80%	80%				80%
FLEXIA117	99,83	99,83%				99,83
FLEXIA123	90%	90%				90%
FLEXIA126	99%	99%		(F		99%
FLEXIA129	99,89	99,89%				99,89
FLEXIA133	100%	100%				100%



CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

FLEXIA134	100%	100%					100%
FLEXIA139	100%	100%					100%
FLEXIA141	75%	75%				300	75%
FLEXIA146	85%	85%					85%
FLEXIA148	99,92	99,92%					99,92
FLEXIA150	100%	100%					100%
FLEXIA151	100%	100%					100%
FLEXIA152	99,96	 99,96%					99,96
FLEXIA153	100%	100%			TUV		100%
FLEXIA154	100%	100%					100%
FLEXIA155	85%	85%		N			85%
FLEXIA157	100%	100%			300		100%
FLEXIA160	99%	99%					99%
FLEXIA161	99,92	99,92%					99,92
FLEXIA162	85%	85%					85%
FLEXIA163	80%	80%		TIMA.			80%
FLEXIA164	75%	75%					75%
FLEXIA165	70%	70%					70%
FLEXIA166	99,93	99,93%	300		<u></u>		99,93
FLEXIA168	80%	80%	300				80%
FLEXIA169	99%	99%					99%



CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

FLEXIA170	100%	100%			100%
FLEXIA172	100%	100%			100%
FLEXIA173	98%	98%			98%
FLEXIA175	100%	100%			100%
FLEXIA176	94%	94%			94%
FLEXIA177	100%	100%) - [[]	100%
FLEXIA178	100%	100%			100%
FLEXIA179	100%	100%			100%
FLEXIA181	99,96	99,96%		 TUV	99,96
FLEXIA183	99,96	99,96%			99,96
FLEXIA184	99,94	99,94%			99,94
FLEXIA185	100%	100%			100%
FLEXIA186	100%	100%			100%
GENIA100	100%	100%			100%
GENIA101	100%	100%			100%
GENIA102	100%	100%			100%
GENIA104	70%	70%			70%
GENIA105	75%	75%			75%
GENIA106	80%	80%	300		80%
GENIA107	100%	100%	300		100%
GENIA108	85%	85%			85%



CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

GENIA109	100%	100%				 100%
GENIA110	100%	100%				100%
GENIA111	100%	100%	300			100%
GENIA112	100%	 100%				100%
GENIA113	100%	 100%				100%
GENIA114	100%	100%				100%
GENIA116	100%	100%				100%
GENIA117	100%	100%			TUV	100%
GENIA119	99,93	99,93%		300		99,93
GENIA120	99,92	99,92%				99,92
GENIA121	99,96	99,96%				99,96
GENIA123	99,90	99,90%			300 /	99,90
GENIA124	99,89	99,89%				99,89
GENIA127	100%	100%				100%
GENIA134	79%	79%				79%
GENIA135	100%	100%			TUV	100%
GENIA140	100%	100%				 100%
GENIA141	100%	100%				100%
GENIA142	100%	100%				100%
GENIA143	100%	100%				100%
GENIA145	100%	100%				100%



CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

GENIA146	90%	90%					90%
GENIA148	100%	 100%					100%
GENIA149	100%	100%				SUD SUD	100%
GENIA150	100%	100%					100%
GENIA152	95%	95%		TUV			95%
GENIA154	100%	100%					100%
GENIA155	100%	100%			יעע <u>)</u> - (100%
GENIA156	80%	80%					80%
GENIA157	80%	 80%					80%
GENIA162	99,92	99,92%					99,92
GENIA163	100%	100%					100%
GENIA164	99,94	99,94%					99,94
GENIA165	99,94	99,94%					99,94
GENIA166	99,94	99,94%					99,94
GENIA167	100%	100%					100%
GENIA168	100%	100%					100%
GENIA169	100%	100%					100%
GENIA171	99,89	99,89%					99,89
GENIA172	100%	100%	300	- \- \- \- \- \- \- \- \- \- \- \- \- \-			100%
GENIA173	100%	100%					100%
GENIA174	100%	100%					100%



CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

GENIA176	85%	85%				85%
GENIA177	80%	80%				80%
GENIA178	75%	75%			500 500 	75%
GENIA179	70%	70%				70%
GENIA180	100%	100%		TUV		100%
GENIA181	100%	100%				100%
GENIA182	100%	100%				100%
GENIA185	100%	 100%				100%
GENIA190	100%	100%				100%
GENIA191	100%	100%				100%
GENIA192	100%	100%				100%
GENIA193	100%	100%				100%
GENIA195	100%	100%				100%
GENIA196	94%	94%				94%
GENIA198	96%	96%				96%
GENIA199	100%	100%				100%
GENIA201	94%	94%				94%
GENIA202	99,94	99,94%				99,94
GENIA205	100%	100%	300			100%
GENIA206	100%	100%				100%
GENIA212	100%	100%				100%



CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

GENIA214	78%	78%		No.		78%
GENIA215	85%	85%				85%
GENIA216	93%	93%				93%
GENIA217	95%	95%	300	TIM.		95%
GENIA218	90%	90%				90%
GENIA221	100%	100%				100%
GENIA222	99%	99%				99%
GENIA223	100%	100%				100%
GENIA224	99,95	99,95%				99,95
GENIA225	99%	99%				99%
GENIA226	100%	100%				100%
GENIA227	74%	74%				74%
GENIA228	100%	100%		300		100%
GENIA229	100%	100%				100%
GENIA230	98%	98%				98%
GENIA231	94%	94%				94%
GENIA234	99,99	99,99%				99,99
GENIA236	99,95	99,95%				99,95
GENIA237	100%	100%			500 \	100%
GENIA238	100%	100%				100%
GENIA239	100%	100%				100%



CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

LUX100	100%		100%				100%
LUX101	100%	100	100%				100%
LUX102	99,62		99,62%		<u>N</u> (t	5V	99,62
LUX104	99,67		99,67%				99,67
LUX105	80%		80%				80%
LUX107	100%		100%				100%
LUX108	100%		100%				100%
LUX112	85%		85%				85%
LUX116	100%		100%				100%
LUX118	100%		100%				100%
LUX120	100%		100%				100%
LUX121	88%		88%		500/ 		88%
LUX122	99,09		99,09%				99,09
LUX123	99,61		99,61%				99,61
LUX127	100%		100%				100%
LUX128	100%		100%	TUV			100%
LUX131	99,64		99,64%				99,64
LUX133	100%		100%				100%
LUX134	100%		100%				100%
LUX135	70%		70%				70%
LUX136	96%		96%				96%



CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

LUX139	99%	99%				 99%
LUX140	99,64	99,64%				 99,64
LUX142	100%	100%		(F	<u> </u>	100%
LUX143	100%	100%	300			100%
LUX144	99%	99%				99%
LUX146	100%	100%				100%
LUX147	100%	100%				100%
LUX148	100%	100%				100%
LUX150	100%	100%		300		100%
LUX153	100%	100%				100%
LUX156	100%	100%				100%
LUX158	100%	100%			300/ 	100%
LUX159	100%	100%				100%
LUX160	85%	85%				85%
LUX166	100%	100%				100%
LUX167	100%	100%				100%
LUX169	100%	100%				100%
LUX170	100%	100%				100%
LUX173	100%	100%				100%
LUX175	96%	96%				96%
LUX176	94%	94%				94%



CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

LUX177	100%	100%			EN (100%
LUX178	100%	100%				 100%
LUX179	100%	100%		(F		 100%
LUX180	100%	100%	300			100%
LUX181	100%	100%				100%
LUX184	95%	95%	N			95%
LUX185	92%	92%				92%
LUX186	97%	97%				97%
LUX188	85%	85%		300		85%
LUX189	85%	85%				85%
LUX192	99%	99%				99%
LUX193	100%	100%				100%
LUX194	100%	100%				100%
LUX195	100%	100%				100%
LUX196	100%	100%				100%
LUX197	80%	80%				80%
LUX199	85%	85%				85%
LUX201	100%	100%				 100%
LUX202	99%	99%				99%
LUX203	99%	99%	300			99%
LUX204	100%	100%				100%



CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

LUX 205	100%	100%			100%
LUX 206	100%	100%			100%
LUX210	98%	98%			98%
LUX258	100%	100%			100%
LUX259	100%	100%			100%
LUX277	100%	100%			100%
LUX279	100%	100%		<u> </u>	100%
PLATINA102	100%	100%			100%
PLATINA103	100%	100%		TUV	100%
PLATINA105	100%	100%			100%
PSN1	100%	100%			100%
PSN2	100%	100%		300 / 	100%
PURA100	79%	79%			79%
PURA101	90%	90%			90%
T750RMA	100%	100%			100%
T750YMA	100%	100%			100%
UNIBRAX100	100%	100%			100%
UNIBRAX101	100%	100%			100%
UNIBRAX102	100%	100%			100%
UNIBRAX103	100%	100%			100%
UNIBRAX105	100%	100%			100%



CERTIFICATE OF CONFORMITY

Certificato N. / Certificate N.

TUVIT-LMR-A0039 rev.4

UNIBRAX106	100%		100%					100%
UNIBRAX107	100%		100%		-			100%
UNIBRAX108	100%		100%					100%
UNIBRAX110	100%		100%			N	\$100 	100%
UNIBRAX112	100%		100%	300	(VUT)	TINA SOB		100%
UNIBRAX113	97%	300	97%			(TUV)		97%
UNIBRAX115	100%		100%					100%
UNIBRAX117	91%		91%					91%
UNIBRAX119	100%		100%					100%
UNIBRAX120	100%		100%			300		100%
UNIBRAX121	100%		100%					100%
UNIBRAX122	100%		100%					100%
UNIBRAX123	100%		100%					100%
UNIBRAX124	100%		100%					100%
UNIBRAX128	100%		100%				300	100%
UNIBRAX137	90%		90%					90%
UNIBRAX140	100%		100%					100%
UNIBRAX142	100%		100%) [[IV		100%
UNIBRAX147	100%		100%					100%
UNIBRAX159	100%		100%			<u> </u>		100%
UNIBRAX160	100%		100%					100%
UNIBRAX161	100%		100%					100%

^{*} Percentuale minima di materiale riciclato post-consumatore Presence of minimum post-consumer recycled content by weight

Data emissione / Issue date: 13/01/2025

Data prima emissione / First issue date: 18/01/2021

Data scadenza / Expiry date: 17/01/2028





^{**} Percentuale minima di materiale riciclato pre-consumatore Presence of minimum pre-consumer recycled content by weight